



UPDATED: 2010/12/10





### DMX CONTROL SYSTEM

#### •DMX control system


Model	Picture	Article Description	unit
<b>Muses</b> (AWCL-300-6P-Audio-DMX-9CH)	 	<p><b><u>Multi-channels audio synchronized DMX Control System</u></b></p> <p><b>A. A Multi-channels audio synchronized DMX Console</b></p> <ol style="list-style-type: none"> <li>1. size: 110mm x 70mm x 23mm (L x W x H).</li> <li>2. DMX console, 27 DMX Channels, built-in 6 programs with dimmer function, with Audio synchronized sound controll function.</li> <li>3. Standard DMX-512A protocol support.</li> <li>4. Working current: 4A per channel x 3 channels ( RGB). Power input: DC 10V~30V input.</li> <li>5. Output power: 150W/DC12V or 300W/DC24V.</li> <li>6. With IR remote controller.</li> </ol> <p><b>B. 9 sets 3 Channels DMX Decoder with 21pcs RGB LED lighting cluster set</b></p> <p><b>1. DMX DECODER</b></p> <ol style="list-style-type: none"> <li>1.1 built-in 3 channels DMX Decoder, standard DMX-512A protocol support.</li> <li>1.2 Buit-in 8 DIP Switcher for setting DMX address.</li> <li>1.3 Working current: 2A per channel x 3 channels ( RGB).</li> <li>1.4 Power input: DC 10V~30V input.</li> <li>1.5 Output power: 72W/DC12V or 144W/DC24V.</li> </ol> <p><b>2. RGB LED Lighting Cluster</b></p> <ol style="list-style-type: none"> <li>2.1 5.0mm x 5.0mm RGB LED, 21pcs LED per cluster.</li> <li>2.2 with light weight plastic case and flexible wires for easy installation.</li> <li>2.3 Outrput watts: 4.5W per set.</li> <li>2.4 Power Input: constant voltage DC 12V.</li> <li>2.5 LED current: 375 mA.</li> <li>2.6 size: ø120mm x high 62mm.</li> </ol>	<p><b>One set</b>            (one DMX conclc with one IR remote controller and 9 decoder lighting sets)</p>

The "MUSES" is included with a AWCL-300-6P-Audio-DMX and 9 sets decoder lights; the Decoder lights is included with a "Hermes" and a "Globe".

You may order a set of MUSES, or order these items separately. These items are list as below:




AWCL-300-6P-Audio-DMX		<p><b><u>Multi-channels audio synchronized DMX Control System</u></b></p> <ol style="list-style-type: none"> <li>1. size: 110mm x 70mm x 23mm (L x W x H).</li> <li>2. <b>DMX console</b>, 27 DMX Channels, built-in 6 programs with dimmer function, with Audio synchronized sound controll function.</li> <li>3. Standard DMX-512A protocol support.</li> <li>4. Working current: 4A per channel x 3 channels ( RGB). Power input: DC 10V~30V input.</li> <li>5. Output power: 150W/DC12V or 300W/DC24V.</li> <li>6. With IR remote controller.</li> </ol>	<p><b>One set</b>            (one DMX conclc with one IR remote controller)</p>
<b>Hermes &amp; Globe</b>		<p><b><u>3 Channels DMX Decoder with 21pcs RGB LED lighting cluster set</u></b></p> <p><b>1. DMX DECODER</b></p> <ol style="list-style-type: none"> <li>1.1 built-in 3 channels DMX Decoder, standard DMX-512A protocol support.</li> <li>1.2 Buit-in 8 DIP Switcher for setting DMX address.</li> <li>1.3 Working current: 2A per channel x 3 channels ( RGB).</li> <li>1.4 Power input: DC 10V~30V input.</li> <li>1.5 Output power: 72W/DC12V or 144W/DC24V.</li> </ol> <p><b>2. RGB LED Lighting Cluster</b></p> <ol style="list-style-type: none"> <li>2.1 5.0mm x 5.0mm RGB LED, 21pcs LED per cluster.</li> <li>2.2 with light weight plastic case and flexible wires for easy installation.</li> <li>2.3 Outrput watts: 4.5W per set.</li> <li>2.4 Power Input: constant voltage DC 12V.</li> <li>2.5 LED current: 375 mA.</li> <li>2.6 size: ø120mm x high 62mm.</li> </ol>	<p><b>One set</b>            (one DMX decoder with a RGB LED cluster)</p>
<b>Hermes</b> (AWCL-120-DMX-D3C)		<p><b><u>3 Channels DMX Decoder</u></b></p> <ol style="list-style-type: none"> <li>1. size: 100mm x 43mm x 30mm (L x W x H).</li> <li>2. <b>3 channels DMX Decoder</b>, standard DMX-512A protocol support.</li> <li>3. Buit-in 8 DIP Switcher for setting DMX address.</li> <li>4. Working current: 2A per channel x 3 channels ( RGB).</li> <li>5. Output power: 72W/DC12V or 144W/DC24V.</li> </ol>	<p><b>One set</b>            (one DMX decoder)</p>
<b>GlobeT21</b>		<p><b><u>RGB LED Lighting Cluster</u></b></p> <ol style="list-style-type: none"> <li>1. 5.0mm x 5.0mm RGB LED, 21pcs LED per cluster.</li> <li>2. with light weight plastic case and flexible wires for easy installation.</li> <li>3. Outrput watts: 4.5W per set.</li> <li>4. Power Input: constant voltage DC 12V.</li> <li>5. LED current: 375 mA.</li> <li>6. size: ø120mm x high 62mm.</li> </ol>	<p>One unit</p>

#### •DMX DECODER SERIES


Model	Picture	Article Description	unit
AWCL-160-DMX-D4C		<p><b><u>4 channels DMX Decoder</u></b></p> <ol style="list-style-type: none"> <li>1. size: 100mm x 43mm x 30mm (L x W x H).</li> <li>2. 4 Channels DMX decoder, Standard DMX-512A protocol support.</li> <li>3. Buit-in 8 DIP Switcher for setting DMX address.</li> <li>4. Working current: 2A per channel x 4 channels.</li> <li>5. Output power: 72W/DC12V or 144W/DC24V.</li> </ol>	<p><b>One set</b>            (one DMX decoder)</p>

UPDATED: 2010/12/10




**RGB CONTROLLERS**

Model	Picture	Article Description	unit
<b>Beethoven</b> (AWCL-300-6P-Audio)		<b>3 Channels audio synchronized RGB Controller</b> 1. size: 110mm x 70mm x 23mm (L x W x H). 2. <b>RGB LED controller</b> , built-in 6 programs with dimmer function, with Audio synchronized sound controll function. 3. Working current: 4A per channel x 3 channels ( RGB). Power input: DC 10V~30V input. 4. Output power: 150W/DC12V or 300W/DC24V. 5. With IR remote controller.	<b>One set</b> (one controller with one IR remote controller)
<b>Venus</b> (AWCL-120-6P)		<b>Mini 6 Programs RGB Controller</b> 1. size: 100mm x 43mm x 30mm (L x W x H). 2. RGB LED controller, built-in 6 programs with dimmer function. 3. Working current: 2A per channel x 3 channels ( RGB). Power input: DC 10V~30V input. 4. Output power: 72W/DC12V or 144W/DC24V. 5. With IR remote controller.	<b>One set</b> (one controller with one IR remote controller)
AWCL-300-R		<b>3 Channels RGB Repeater.</b> 1. size: 110mm x 70mm x 23mm (L x W x H). 2. RGB signal repeater. 3. Working current: 4A per channel x 3 channels ( RGB). Power input: DC 10V~30V input. 4. Output power: 150W/DC12V or 300W/DC24V.	<b>One set</b> (one Repeater)

**•Dimmer SERIES**

Model	Picture	Article Description	unit
<b>Apollo</b> (AWDM-400-3CH)		<b>3 Channels Dimmer Controller</b> 1. size: 110mm x 70mm x 23mm (L x W x H). 2. 3 output port could be set as one lighting group or set as 3 lighting areas. 3. control via IR remote controller or knob(VR button). 4. Working current: 6A per channel x 3 channels. Power input: DC 10V~30V input. 5. Output power: 216W/DC12V or 432W/DC24V.	<b>One set</b> (one dimmer with IR remote controller/ or one dimmer with one VR knob)
Coming soon		<b>Dimmer Signal Repeater</b>	

**"Multi Channel RGB Controller" – USB Programmable Function!!**

Model	Picture	Article Description	unit
AWMC-060-8P-4CH		<b>4 Channel RGB controller with 8 Programs and USB programmable function</b> 1. 2 unit x per size: 110mm x 45mm x 27mm (L x W x H). 2. RGB controller, built-in 8 programs and could be programmable by USB port Connecting with PC. 3. Output: 4 channels x 30W/DC12V, 4 channels x 60W/DC24V, 10A. 5. With a IR remote controller.	<b>One set</b> (one RGB controller , one 4 channels decoder with one IR remote controller)
AWMC-060-8P-8CH		<b>8 Channel RGB controller with 8 Programs and USB programmable function</b> 1. 3 unit x per size: 110mm x 45mm x 27mm (L x W x H). 2. RGB controller, built-in 8 programs and could be programmable by USB port Connecting with PC. 3. Output: 8 channels x 30W/DC12V, 8 channels x 60W/DC24V, 10A. 5. With a IR remote controller.	<b>One set</b> (one RGB controller , 2 sets 4 channels decoder with one IR remote controller)
AWMC-060-8P-12CH		<b>12 Channel RGB controller with 8 Programs and USB programmable function</b> 1. 4 unit x per size: 110mm x 45mm x 27mm (L x W x H). 2. RGB controller, built-in 8 programs and could be programmable by USB port Connecting with PC. 3. Output: 12channels x 30W/DC12V, 12 channels x 60W/DC24V, 10A. 5. With a IR remote controller.	<b>One set</b> (one RGB controller , 3 sets 4 channels decoder with one IR remote controller)